

	Hits	Search Text	DBs
1	0	preferred adj applications	US-PGPUB; USPAT
2	1897	(user near2 profile) with (applications or software)	US-PGPUB; USPAT
3	2404	(user near2 prefer\$5) with (applications or software)	US-PGPUB; USPAT
4	99	(user near2 prefer\$5) with (applications or software) with (load\$3 or start\$3 or boot\$3)	US-PGPUB; USPAT
5	105	(user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3)	US-PGPUB; USPAT
6	186	(user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3 or start\$3 or boot\$3)	US-PGPUB; USPAT
7	0	(user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3) with base3	US-PGPUB; USPAT
8	65	(user near2 (prefer\$5 or profile)) with (applications or software) with (start\$3)	US-PGPUB; USPAT
9	70	(user near2 profile) with (applications or software) with (load\$3)	US-PGPUB; USPAT
10	114	(user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3)	US-PGPUB; USPAT
11	61	(user near2 (prefer\$5)) with (applications or software) with (load\$3)	US-PGPUB; USPAT
12	809	user with (application near set)	US-PGPUB; USPAT
13	534	user with ((application or software) adj set)	US-PGPUB; USPAT
14	33	user with ((application or software) near set) with (load\$3)	US-PGPUB; USPAT
15	117	user with ((application or software) with (permission or authori\$6)) with (load\$3)	US-PGPUB; USPAT
16	25	user with ((application or software) with allowed) with (load\$3)	US-PGPUB; USPAT
17	304	user with ((application or software) with (enabl\$5)) with (load\$3)	US-PGPUB; USPAT
18	387	user with ((application or software) with (permission or authori\$6)) with (enabl\$3 or disabl\$3)	US-PGPUB; USPAT

	Hits	Search Text	DBs
32	243	(determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3)	US-PGPUB; USPAT
33	3	(determin\$5 with ((applications or software or programs) near2 running)) with (user near (profile or prefer\$5))	US-PGPUB; USPAT
34	48	(determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3) with user	US-PGPUB; USPAT
35	14	(determin\$5 with ((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3))	US-PGPUB; USPAT
36	135	((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3))	US-PGPUB; USPAT
37	28	((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
38	16	((applications or software or programs) near2 load\$3)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
39	59	((applications or software or programs) near2 (run\$3 or load\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
40	259	((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or cho\$1se\$1)) and ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
41	162	((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
42	21	((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or choos\$3 or chosen)) same ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT

	Hits	Search Text	DBs
43	54	((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) same ((user near2 (profile or prefer\$5))	US-PGPUB; USPAT
44	25	"5261104"	US-PGPUB; USPAT
45	10337	((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user)	US-PGPUB; USPAT
46	495	((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user) with determin\$5	US-PGPUB; USPAT
47	9629	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5	US-PGPUB; USPAT
48	53	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5 same (user near (profile or prefer\$5))	US-PGPUB; USPAT
49	35	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5 same (user near (profile or prefer\$5))	US-PGPUB; USPAT
50	156	((enabl\$3 or disabl\$3) near2 (applications or software or programs)) same (user near (profile or prefer\$5))	US-PGPUB; USPAT
51	5080	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5	US-PGPUB; USPAT
52	2147	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) near2 automatic\$5	US-PGPUB; USPAT
53	1515	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs)	US-PGPUB; USPAT

	Hits	Search Text	DBs
54	373	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with user	US-PGPUB; USPAT
55	128	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with select\$3	US-PGPUB; USPAT
56	59	((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	US-PGPUB; USPAT
57	13	((retriev\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	US-PGPUB; USPAT
58	42	((execut\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile))	US-PGPUB; USPAT
59	50	((load\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with boot\$3	US-PGPUB; USPAT
60	11	(start\$1up adj applications) with boot\$3	US-PGPUB; USPAT
61	310	start\$1up adj applications	US-PGPUB; USPAT
62	6	(start\$1up adj applications) with windows	US-PGPUB; USPAT
63	38	(start\$1up adj applications) with (operating adj system)	US-PGPUB; USPAT
64	189	(start\$1up adj applications) and (windows or win\$2)	US-PGPUB; USPAT
65	15	(start\$1up adj applications) same (windows or win\$2)	US-PGPUB; USPAT
66	3	"6353446"	US-PGPUB; USPAT
67	2104	(list\$3 or determin\$5) with ((loaded or active) near2 (program or application or software))	US-PGPUB; USPAT
68	608	(list\$3) with ((loaded or active) near2 (program or application or software))	US-PGPUB; USPAT

	Hits	Search Text	DBs
69	305	(list\$3) with ((loaded) near2 (program or application or software))	US-PGPUB; USPAT
70	136	(list\$3) near4((loaded) near2 (program or application or software))	US-PGPUB; USPAT
71	429	(determin\$5) near4 ((loaded) near2 (program or application or software))	US-PGPUB; USPAT
72	136	(list\$3) near4 ((loaded) near2 (program or application or software))	US-PGPUB; USPAT
73	306	(list\$3) near4 ((running) near2 (program or application or software))	US-PGPUB; USPAT
74	274	(list\$3) near4 ((running) near2 (program or application))	US-PGPUB; USPAT
75	863	(determin\$5) near4 ((running) near2 (program or application))	US-PGPUB; USPAT
76	151	(list\$3) near2 ((running) near2 (program or application))	US-PGPUB; USPAT
77	539	automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))	US-PGPUB; USPAT
78	22	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5))	US-PGPUB; USPAT
79	6	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same customiz\$5	US-PGPUB; USPAT
80	297	((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) same (user near (profile or prefer\$5 or log\$5))	US-PGPUB; USPAT
81	100	((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) with (user near (profile or prefer\$5 or log\$5))	US-PGPUB; USPAT

	Hits	Search Text	DBs
82	0	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5))	EPO; JPO
83	18	(automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (chang\$3 with user)	US-PGPUB; USPAT
84	21	(disabl\$3 or un\$lload\$3) with (application or software or executable) with (unneeded or unnecessary)	US-PGPUB; USPAT
85	72	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable) with (unneeded or unnecessary)	US-PGPUB; USPAT
86	51	(free) with (application or software or executable) with (unneeded or unnecessary)	US-PGPUB; USPAT
87	35	(disabl\$3 or un\$lload\$3 or free) with (program) with (unneeded or unnecessary)	US-PGPUB; USPAT
88	294	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program) with (profile)	US-PGPUB; USPAT
89	392	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program) with (prefer\$7)	US-PGPUB; USPAT
90	52	(disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program) with (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT
91	149	((disabl\$3 or un\$lload\$3 or free) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT
92	54	((disabl\$3 or un\$lload\$3) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT
93	0	((disabl\$3 or un\$lload\$3) with (suite)) same (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT

	Hits	Search Text	DBs
94	27	((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT
95	71	((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile))	US-PGPUB; USPAT
96	44	((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) not (((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile)))	US-PGPUB; USPAT
97	51	(disabl\$3 or un\$1load\$3 or free) with (application or software or executable or program) with (user near2 (desir\$4 or undesir\$5))	US-PGPUB; USPAT
98	14	("5717955" "5909544" "6105066" "6167450" "6295541" "6324578" "6327594" "6330676" "6345288" "6345308" "6367077" "6373505" "6438382" "6457030").PN.	USPAT
99	280	(disabl\$3 or un\$1load\$3 or free) with (application or software or executable or program) with (user near2 (select\$5))	US-PGPUB; USPAT
100	164	(disabl\$3 or un\$1load\$3) with (application or software or executable or program) with (user near2 (select\$5))	US-PGPUB; USPAT
101	189	list with ((critical or necessary or needed or required) adj (application or program or module))	US-PGPUB; USPAT
102	577	identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))	US-PGPUB; USPAT
103	34	S1 and S2	US-PGPUB; USPAT
104	23	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	US-PGPUB; USPAT

	Hits	Search Text	DBs
105	17	list with ((critical or necessary or needed or required) adj (application or program or module))	EPO; JPO
106	25	identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))	EPO; JPO
107	2	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	EPO; JPO
108	25	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	US-PGPUB; USPAT
109	4	(identif\$7 with ((prefer\$6 or desire\$3) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	US-PGPUB; USPAT
110	166	(identif\$7 with ((user) adj2 (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	US-PGPUB; USPAT
111	3	(identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	EPO; JPO
112	0	(identif\$7 with ((prefer\$6 or desire\$3) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	EPO; JPO
113	21	(identif\$7 with ((user) adj2 (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7)	EPO; JPO